

Total number of printed pages-8

3 (Sem-5/CBCS) CSC HC2

2022

**COMPUTER SCIENCE**

(Honours)

Paper : CSC-HC-5026

**( Theory of Computation )**

Full Marks : 80

Time : Three hours

**The figures in the margin indicate full marks for the questions.**

1. Answer **any ten** of the following questions as directed :  $1 \times 10 = 10$

(a) If  $\Sigma$  is an alphabet, then  $\Sigma^*$  denotes the set of strings obtained by concatenating zero or more symbols from  $\Sigma$ . (State true or false)

(b) An \_\_\_\_\_ is an abstract model of a digital computer. (Fill in the blank)

(c) Each move of a deterministic automaton is uniquely determined by the current configuration. (State true or false)

Contd.

(d) Any language is defined by a unique DFA, but the converse is not true.

(State true or false)

(e) For every regular language there exists some deterministic finite acceptor.

(State true or false)

(f) NFA cannot make a transition without consuming an input symbol.

(State true or false)

(g) Regular languages is not closed under concatenation.

(State true or false)

(h) Pumping Lemma is used as a proof for regularity of a language.

(State true or false)

(i) A grammar is said to be \_\_\_\_\_ if all productions are of the form  $A \rightarrow Bx$ :

(i) non-linear

(ii) left-linear

(iii) right linear

(iv) None of the above

(Choose the correct option)

(j) A language generated by a right-linear grammar is always regular.

(State true or false)

(k) A context-free grammar  $G$  is said to be \_\_\_\_\_ if there exists some  $w \in L(G)$

that has at least two distinct derivation trees. (Fill in the blank)

(l) Any production of a context-free grammar of the form  $A \rightarrow B$ , where  $A, B \in V$ , is called a \_\_\_\_\_.

(Fill in the blank)

(m) For every context-free language there is an NPDA that accepts it.

(State true or false)

(n) The family of context-free languages is closed under intersection.

(State true or false)

(o) Regular expression for the language  $\Sigma = \{0, 1\}$  of strings of length at least two that begin with 0 and end in 1 is \_\_\_\_\_.

(Fill in the blank)

(p) Regular expression for the language  $\Sigma = \{0, 1\}$  of strings of length at least two that have a 1 as their second symbol is \_\_\_\_\_.

(Fill in the blank)

(q) The family of regular languages is closed under reversal.

(State true or false)



- (r) For any context-free language  $L$ , there exists an NPDA  $M$  such that  $L = L(M)$ .  
(State true or false)

2. Define the following terms: **(any five)**  
 $2 \times 5 = 10$


- Language
- Grammar
- Automata
- Indistinguishable states of a DFA
- Parse tree
- Ambiguous grammar
- Unit production
- Useless production
- Chomsky normal form
- Greibach normal form

3. Answer **any four** of the following questions :  
 $5 \times 4 = 20$

- Give formal definition of DFA. Write *any two* differences between DFA and NFA.  
 $3 + 2 = 5$

- (b) Find DFA for the language  
 $L = \{ab^n a^m : n \geq 2, m \geq 3\}$ .

(c) Convert the NFA into DFA



- (d) Prove that regular languages is closed under union and intersection.

- (e) Find context-free grammars for the following languages (with  $n \geq 0, m \geq 0$ ).

(i)  $L = \{a^n b^m : n \leq m + 3\}$

(ii)  $L = \{a^n b^m : n \neq m - 1\}$

- (f) Define pumping lemma for context-free languages.

- (g) Convert the grammar  $S \rightarrow ab \mid aS \mid aaS$  into Greibach normal form.

- (h) Give formal definition of NPDA.



4. Answer **any four** of the following questions :

10×4=40

(a) Show that the set  $L = \{a^{i^2} : i \geq 1\}$  is not regular.

(b) Remove all unit-productions, all useless productions, and all  $\lambda$ -productions from the grammar

$$S \rightarrow aA \mid aBB,$$

$$A \rightarrow aaA \mid \lambda,$$

$$B \rightarrow bB \mid bbC,$$

$$C \rightarrow B.$$

(c) Write regular expressions for the language of strings :  $\Sigma = \{0, 1\}$

(i) that begin and end with the same symbol

(ii) of length at least two that begin with 0 and end in 1

(iii) of length at least  $k$  that have a 1 in position  $k$

(iv) of length at least two that have a 1 in the second-to-last position

(v) that contain at least two 1's and at most one 0

(d) Construct an NPDA for accepting the language

$$L = \{w \in \{a, b\}^* : n_a(w) = n_b(w)\}$$

(e) Show that the language

$$L = \{0^n 1^n 2^n : n \geq 0\}$$
 is not a CFL.

(f) Show that the following grammar is ambiguous

$$S \rightarrow AB \mid aaB,$$

$$A \rightarrow a \mid Aa,$$

$$B \rightarrow b.$$


(g)  $S \rightarrow AB \mid aB,$

$$A \rightarrow aab \mid \lambda,$$

$$B \rightarrow bbA.$$

Convert the grammar into Chomsky normal form.

(h) Reduce the number of states from the DFA



(i) Show that if  $L$  is a nonempty language such that any  $w$  in  $L$  has length at least  $n$ , then any DFA accepting  $L$  must have at least  $n + 1$  states.

(j) Show that  $L = \{a^n b^{2n} : n \geq 0\}$  is a deterministic context-free language.

