# 3 (Sem-4/CBCS) MAT HC3

### 2023

#### **MATHEMATICS**

(Honours Core)

Paper: MAT-HC-4036

(Ring Theory)

Full Marks: 80

Time: Three hours

# The figures in the margin indicate full marks for the questions.

- 1. Answer the following questions: 1×10=10
  - (a) Give an example of an infinite noncommutative ring that does not have a unity.
  - (b) Define an integral domain.
  - (c) What is the characteristic of the ring of 2×2 matrices over integers?
  - (d) In an integral domain, if  $a \neq 0$  and ab = ac, then prove that b = c.

- (e) Show that  $2Z \cup 3Z$  is not a subring of Z.
- (f) Prove that the correspondence  $x \to 5x$  from  $Z_5$  to  $Z_{10}$  does not preserve addition.
- (g) Characteristic of every field is
  - (i) 0
  - (ii) an integer
  - (iii) either 0 or prime
  - (iv) either 0 or not prime (Choose the correct option)
- (h) Which of the following is not an integral domain?
  - (i) Z[x]
  - (ii)  $\left\{a+b\sqrt{2}:a,b\in Z\right\}$
  - (iii)  $Z_3$
  - (iv)  $Z_6$

(Choose the correct option)

(i) Consider 
$$f(x) = 2x^3 + x^2 + 2x + 2$$
 and  $g(x) = 2x^2 + 2x + 1$  in  $Z_3[x]$ . Then  $f(x) + g(x)$  is

- (i)  $2x^3 + x$
- (ii)  $2x^2 + 3x + 3$
- (iii)  $x^5 + 2$
- (iv)  $x^5 + 2x^3 + 2$  (Choose the correct option)
- (j) The polynomial  $f(x) = 2x^2 + 4$  is irreducible over
  - (i) Q
  - (ii) C
  - (iii) Z
  - (iv) None of the above (Choose the correct option)
- 2. Answer the following questions:  $2 \times 5 = 10$ 
  - (a) Let R be a ring. Prove that a(-b) = (-a)b = -(ab), for all  $a, b \in R$ .

- (b) Prove that the only ideals of a field are  $\{0\}$  and F itself.
- (c) Show that the ring of integers is an Euclidean domain.
- (d) If R is a commutative ring with unity and A is an ideal of R, show that R/A is a commutative ring with unity.
- (e) Let  $f(x) = x^3 + 2x + 4$  and g(x) = 3x + 2 in  $Z_5[x]$ . Determine the quotient and remainder upon dividing f(x) by g(x).
- 3. Answer **any four** questions of the following: 5×4=20
  - (a) Prove that  $Z\left[\sqrt{2}\right] = \left\{a + b\sqrt{2} : a, b \in Z\right\}$  is a ring under the ordinary addition and multiplication of real numbers.
  - (b) (i) If I is an ideal of a ring R such that 1 belongs to I, then show that I = R.
    - (ii) Let R be a ring and  $a \in R$ . Show that  $S = \{ r \in R \mid ra = 0 \}$  is an ideal of R. 2+3=5

- (c) Prove that the ring of integers Z is a principal ideal domain.
- (d) Let  $\phi$  be a homomorphism from a ring R to a ring S. If A is a subring of R and B is an ideal of S, prove that
  - (i)  $\phi(A) = \{\phi(a) | a \in A\}$  is a subring of S.
  - (ii)  $\phi^{-1}(B) = \{x \in R \mid \phi(x) \in B \}$  is an ideal of R.  $2\frac{1}{2} + 2\frac{1}{2} = 5$
- (e) Let F be a field,  $a \in F$  and  $f(x) \in F[x]$ . Prove that a is a zero of f(x) if and only if x-a is a factor of f(x).
- (f) Let F be a field, I a nonzero ideal in F[x], and g(x) an element of F(x). Show that  $I = \langle g(x) \rangle$  if and only if g(x) is a nonzero polynomial of minimum degree in I.

Answer either (a) and (b) or (c) and (d) of the following questions: 10×4=40

4. (a) Prove that a finite integral domain is a field. Hence show that for every prime p,  $Z_p$ , the ring of integers modulo p, is a field. 4+2=6

(b) Show that  $\frac{R[x]}{\langle x^2 + 1 \rangle}$  is a field. 4

#### OR

- (c) Prove that every field is an integral domain. Is the converse true? Justify with an example. 2+1=3
- (d) Define prime ideal and maximal ideal of a ring. Show that  $\langle x \rangle$  is a prime ideal of Z[x] but not a maximal ideal of it. 2+5=7
- (a) Let  $\phi$  be a homomorphism from a ring R to a ring S. Prove that  $\phi$  is an isomorphism if and only if  $\phi$  is onto and  $\ker \phi = \{r \in R \mid \phi(r) = 0\} = \{0\}.$  5
  - (b) If  $\phi$  is an isomorphism from a ring R to a ring S, then show that  $\phi^{-1}$  is an isomorphism from S to R.

## OR

(c) Let R be a ring with unity e. Show that the mapping  $\phi : \mathbb{Z} \to R$  given by  $n \to ne$  is a ring homomorphism. 5

- (d) Define kernel of a ring homomorphism. Let  $\phi$  be a homomorphism from a ring R to a ring S. Prove that  $ker \phi$  is an ideal at R.
- 6. (a) State and prove the second isomorphism theorem for rings.

1+7=8

(b) Let R be a commutative ring of characteristic 2. Show that the mapping  $a \rightarrow a^2$  is a ring homomorphism from R to R.

#### OR

- (c) State and prove the third isomorphism theorem for rings. 1+6=7
- (d) Prove that every ideal of a ring R is the kernel of a ring homomorphism of R.
- (a) Let F be a field. If  $f(x) \in F[x]$  and  $\deg f(x) = 2$  or 3, then prove that f(x) is reducible over F if and only if f(x) has a zero in F.

7

(b) In a principal ideal domain prove that an element is an irreducible if and only if it is a prime.

#### OR

- (c) Let p be a prime and suppose that  $f(x) \in Z[x]$  with  $deg f(x) \ge 1$ . Let  $\overline{f(x)}$  be the polynomial in  $Z_p[x]$  obtained from f(x) by reducing all the coefficients of f(x) modulo p. If f(x) is irreducible over  $Z_p$  and  $deg \overline{f(x)} = deg f(x)$ , then prove that f(x) is irreducible over Q.
  - (d) Let  $f(x) = a_n x^n + a_{n-1} x^{n-1} + \dots + a_0 \in Z[x].$  If there is a prime p such that  $p \nmid a_n, \ p \mid a_{n-1}, \dots, \ p \mid a_0 \text{ and } \ p^2 \nmid a_0,$  then prove that f(x) is irreducible over Q.