3 (Sem-5/CBCS) CHE HC 2

2023 regie ont bail

bauorg and To CHEMISTRY It avina (1986)

(Honours Core)

Paper: CHE-HC-5026

(Physical Chemistry-V)

Full Marks: 60

Time: Three hours

The figures in the margin indicate full marks for the questions.

- 1. Answer the following as directed: 1×7=7
 - (a) State whether the following statement is True **or** False:

For the particle in the box, the maximum probability density for every stationary state wave-function is at the midpoint of the box.

- Show that sin nx. (n is an integer) is an eigenfunction of the operator $\frac{d^2}{dx^2}$ and find the eigenvalue.
- Derive the term symbol for the ground (c) state configuration of Na.
- State which of the following are microwave active and why: CO₂, OCS, HF, N₂
- The ionization energy of a molecule is (e) 10 eV. Calculate the wavelength of the radiation that ionize the molecule. $1eV = 1.602 \times 10^{-19} J$ full marks for the questions.
- What do you mean by inter system crossing? Answer the following as directed:
- What are photoinhibitors? (a) State whether the following statement
- Answer the following questions:
 - (a) Show that the wave function for a particle in one-dimensional box of length a, where the potential energy is zero, is not an eigenfunction of the linear momentum operator in one dimension.

(b) (i) Define complementary observable (b) The functions $\psi_1 = \left(\frac{1}{\pi}\right)^{1/2} \cos x$ and

$$\psi_2 = \left(\frac{1}{\pi}\right)^{1/2} \sin x \text{ are defined in the}$$

interval x = 0 to $x = 2\pi$. Examine if the functions are orthogonal to each other.

- (c) Write how the population of states affects the intensity of spectral line.
- (d) Microwave causes molecules to rotate more energetically. A molecule absorbs microwave photon of wavelength 20 cm. Calculate the energy difference between the two rotational levels in joule.

3. Answer any three questions:

(a) Show that the energy levels of a harmonic oscillator are evenly spaced and it has an energy greater than zero even in its lowest state.

- Define complementary observable with one example.
 - (ii) Show that if two linear operators A and B have the same complete set of eigenfunctions, then $\hat{A}, \hat{B} = 0$
- (c) The first line in the pure rotational spectrum of 12C 16O is observed at 3.8424 cm⁻¹. Calculate bond length considering the molecule as rigid rotator. Does the bond length of a real molecule change as rotational energy increases? If yes, how? 4+1=5

interval x = 0 to $x = 2\pi$. Examine if the

- (d) (i) Discuss in brief what do you mean by hot bands:
 - Find the normal vibrational modes of CO₂. Explain which are IR active and which are not.
- (e) Write the mechanism of the H_2 - Cl_2 photochemical reaction. Prove that the rate of formation of HCl is directly proportional to the intensity of the absorbed radiation. 2+3=5

- 4. Answer any three questions:
 - (a) (i) Write down the Hamiltonian operator for the hydrogen atom and show that the maximum radial probability density for the 1s state of H-atom occurs at a distance equal to Bohr radius. What information regarding

2+3=5

- Which of the following functions are eigenfunctions of $\frac{d^2}{dx^2}$?
- ns esubeb (i) sin 2x 1 s ed of expression in wave number unit
- rol beriup (ii) 4cos 3x and rol
- Explain how \$\frac{2}{x^2}\$ word nislegx.
- to be a non-nigid rotator. 3+2=5 The force $\cos x = \frac{1}{x}$ (vi)
- mi radmun (v) v $5e^{-3x}$ v v naupari

Determine the eigenvalue of each function. with starts the terms chromophore and auxochrome. 2

- (b) (i) Derive expression for the total energy of a particle in a three-dimensional box. Explain the concept of degeneracy. 4+2=6
- (ii) Taking the example of H_2^+ , explain how the potential energy diagram can be constructed. What information regarding characterization of a bond can be obtained from this diagram? 3+1=4
 - (c) (i) Considering the diatomic molecule to be a rigid rotator, deduce an expression in wave number unit for the energy required for rotational transition to take place. Explain how the spectrum will differ if the molecule is considered to be a non-rigid rotator. 3+2=5
 - (ii) The force constant of CO is $1840Nm^{-1}$. Calculate oscillation frequency and wave number in cm^{-1} .
 - (iii) Explain with examples the terms chromophore and auxochrome. 2

Show that the Raman lines in the pure rotational Raman spectrum of a diatomic molecule appear at wave number

$$\overline{v} = \overline{v}_0 \pm 2B(2J + 3)$$

where \overline{v}_0 is the wave number of the Rayleigh line. Draw the schematic diagram to show the Stokes lines and the Anti-Stokes lines. 4+1=5

- (ii) Show diagrammatically the relative frequencies of following electronic transitions:
- excited mo* $\sigma \rightarrow \sigma^*$ and (i) ndergo. Give
- someone π^* of π
 - (iii) $n \rightarrow \pi^*$
- a of besong as we sometimes A companies for $n \to \sigma^*$

Discuss the effect of polarity of the solvent on the above transitions.

- 3+2=5
- (e) (i) Discuss briefly the molecular orbital treatment of BeH_2 and H_2O molecules.

(ii) in the HCl molecule has the fundamental municopa frequency $2990cm^{-1}$. anharmonicity constant is 0.019. The depth of the potential well is 43000cm⁻¹. Calculate dissociation energy is kJ mol-1.

3

(iii) Write short note on:

Rule of Mutual Exclusion

With the help of Jablonski diagram, (t) (t) explain all the photophysical processes that an electronically excited molecule may undergo. Give two major differences between fluorescence and phosphorescence.

3+2=5

- (ii) A substance was exposed to a radiation of wavelength 420nm for a definite period of time when an amount of 10.5J of energy was absorbed. During this time 1.8×10^{-5} mol of the substance was found to decompose. Calculate quantum efficiency.
 - (iii) What is a photostationary state? Explain with example.