3 (Sem-5/CBCS) PHY HE 5

2023

PHYSICS (b)

(Honours Elective)

Paper: PHY-HE-5056

(Nuclear and Particle Physics)

Full Marks: 80

Time: Three hours

The figures in the margin indicate full marks for the questions.

- Answer the following questions: 1×10=10
 - (i) Two nuclei with same value of A, but N and Z values are interchanged are called
 - (a) isotopes y mammy A (b)
 - (u) The particle emitted stadosics (d) ocerher
 - (c) isomers
 - (d) mirror nuclei notod9 (a)

- An isotope without any neutron (ii)
- (a) Tritium
 - Deuterium
 - Protium
 - None of the above
 - Nuclear force is (iii)
 - (a) short range and charge dependent
 - long range and charge dependent
 - short range and charge independent
 - long range and charge independent
 - Which term in the semi-empirical mass formula assigns a direct proportionality to the mass number?
 - (a) Volume energy term
- (b) Surface energy term
 - Coulomb energy term
 - Asymmetry energy term
 - The particle emitted in β -decay together (v) with electron
 - Photon
 - Neutron

- ed to d (c) Antineutrino s zonimme (d) Meson strongstan gniwollol genesa

 - The nuclear process in which one or more particle may be liberated when the target nucleus absorbs y-ray is called
 - Fission reaction According
 - Nuclear fusion
 - Radioactive decay
 - Photo disintegration
 - Change in wavelength of photon in Compton effect depends on
 - frequency of incident photon
 - (b) mass of recoil electron
 - angle of recoil electron
 - angle of scattering of photon
 - (viii) The sum of the dead time and recovering time of a GM counter is called
 - (a) Sensitive time
 - an (b) Ionizing time to stolemon (b)
 - Resolving time (c)
 - Peak-up time

- (ix) Neutrinos are a subset of which of the following categories
 - (a) Photons
 - (b) Leptons
 - (c) Mesons
 - (d) Baryons
- (x) According to quark model, a proton consists of quarks represented as
 - (a) uud saab avitasaihse (a)
 - (b) udd signification of the
- (wil) Change in wavelengbudg (2) pton in
 - (d) cud sold solls notomes
- 2. Answer the following questions: 2×5=10
 - (a) Show that nuclear density does not depend upon mass number A.
 - (b) What are magic numbers? Give one example of doubly magic nucleus.
 - (c) What is pair production? Calculate the minimum energy of a photon to produce electron-positron pair.
 - (d) Complete the following reactions
 - (i) $?(n, p)_{11}Na^{24}$
 - (ii) $_{3}Li^{7}(p,?)_{4}Be^{7}$

- (e) What are the values of baryon number (B), lepton number (L) and strangeness
- (S) of electron and positron.
- 3. Answer the following questions: (any four) 5×4=20
 - Draw a curve showing the binding energy per nucleon as a function of the mass number of nuclei.
 - (b) What is β -decay? Write on three forms of β -decay.
 - (c) Briefly explain the construction and working principle of semi-conductor detector.
 - (d) The pole pieces of a cyclotron is 1.2m in diameter and provide a magnetic field of $1.6Wb/m^2$. What will be the energy of protons in such a machine?

 (Mass of proton = $1.67 \times 10^{-27} kg$ and charge = $1.6 \times 10^{-19} C$)
 - (e) Calculate the binding energy of the $^{59}_{27}Co_{32}$ nucleus using semi-empirical mass formula.
 - (f) Compare the stopping power of 4MeV protons and 8MeV deuterons in a given medium.

- 4. Answer the following: (any four) 10×4=40
 - (a) (i) Derive the Bethe-Bloch formula for the energy loss of a heavy charged particle passing through matter.
 - experiment, the incident gamma ray is scattered through 60°. Find the wavelength of the incident radiation if the wavelength of the scattered gamma ray is 0.250Å.

8+2=10

- (b) (i) Give salient features of nuclear shell model and point out its successes and failures.
- (ii) Write the characteristics of nuclear force.

01=2+7 diameter and provide a magnetic field

- (c) (i) What is a particle accelerator?
- write the principle, construction and working of a LINAC.
- (iii) Write one advantage and one disadvantage of LINAC.

1+7+2=10

(d) (i) What are the necessities of a particle accelerator?

- (ii) What is the role of electric and magnetic fields in an accelerator?
- (iii) Write briefly on accelerator facilities available in India.

(out uno): no eston trons sti2+2+6=10

- (e) (i) What are elementary particles?
 - (ii) Classify the fundamental forces of nature highlighting their relative strength, mediator particles and characteristic time.
- (iii) How elementary particles are classified according to types of interactions?

odut 2+4+4=10

(f) (i) What do you understand by strangeness? Find the strangeness no. of the following particles

disintegration constant, and
$$\Omega, q, \tau^{\dagger}$$

(ii) Based on the conservation of charge, lepton no., baryon no. and strangeness, state whether the following reactions are possible or not:

(a)
$$\pi^- + p \rightarrow \wedge^o + \pi^o$$

but of (b)
$$\wedge^{\circ} \rightarrow \pi^{+} + \pi^{-}$$

(c)
$$p+p \rightarrow n+p+\pi^+$$

1+3+6=10

- (g) Write short notes on: (any two) $5 \times 2 = 10$
 - (i) Neutron interaction with matter
- (ii) Photo-electric effect
- Concept of quark model
 - (iv) Rutherford scattering
- (v) Cherenkov radiation
- (vi) Construction of photomultiplier 01=4+4=10
- (h) Define was governous and was the state of the state o
- half life senegaria
 - (ii) disintegration constant, and
 - (iii) mean life of a radioactive substance.

Obtain the relation between them.

2+2+2+4=10