3 (Sem-3/CBCS) CSC HC 2

(e) First-Come 8202 erved is a

COMPUTER SCIENCE

(Honours Core)

Paper: CSC-HC-3026

(Operating System)

Full Marks: 60

Time: Three hours

The figures in the margin indicate full marks for the questions.

- 1. Answer the following questions as directed: 1×7=7
 - (a) The heart of any operating system is the set of system calls that it can handle. (State True or False)
 - (b) _____ system call is used to create a child process identical to the parent.

 (Fill in the blank)
 - (c) Threads are useful on systems with multiple CPUs, where real parallelism is possible. (State True or False)

Threads can be implemented in user space or in the Kernel. (State True or False) First-Come First-Served is a _____ scheduling algorithm. nonpreemptive Preemptive Preemptive (Choose the correct option) When swapping is used, the system can handle more processes than it has room for in memory. (State True or False) In any secure system users must be (State True or False) authenticated. The figures in the margin indicate Define the following terms: 2×4=8 (a) Kernels Dasip gaiwollol sidt asward The heart of any operating system (c) Virtual address space (d) Paging system call is used to create 3. Answer any three of the following =8×5 (c) Threads are useful on systems wr 5×3=15

(a) State the basic functions of operating

is possible. (State True or False)

- (c) What are the differences between hard link and soft link?

 (d) What are the differences between process and thread?
- (e) Write in brief about Hierarchical
 Directory Systems.
- 4. Answer any three of the following questions: 10×3=30
 - (a) Give description of different types of operating system.
 - (b) What is Dining Philosophers Problem?

 Describe the solution of it using semaphore.

system.

(c) The arrival time and burst time of six processes are shown below: 5+5=10

Process ID	Arrival Time	Burst Time
1	0	5
d detagen h	re the dilerence	(c) 6What a
3	S x 2 those b	Sink an
4	3	1
nces betwe	are thepdiffere	(d) ₅ What
6	9 bas6nt forms	2200104

Calculate completion time, waiting time and turnaround time for the processes if Round Robin Scheduling algorithm is used. Time quantum of the system is 3 units.

- (d) What is deadlock? What are the necessary and sufficient conditions for deadlock? Explain.
 - (e) Describe any two file allocation methods.
- (f) Write short notes on:
 - (i) security policy mechanism
 - (ii) device driver